

File Original and First Copy with
Department of Ecology
Second Copy—Owner's Copy
Third Copy—Driller's Copy

WATER WELL REPORT

STATE OF WASHINGTON

Water Right Permit No.

Start Card No.

W03006

Tg# AAX447

(1) OWNER: Name Ban Rd Water Assoc Address _____

(2) LOCATION OF WELL: County ISLAND Sec 22 Twp 29 N. R. 2E W.M.

(2a) STREET ADDRESS OF WELL (or nearest address) 6272 S. Ban Rd, Free/AND

(3) PROPOSED USE: ☐ Domestic ☐ Industrial ☐ Municipal ☐ Other ☒ WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION
☐ Irrigation ☐ Test Well ☐ Other ☒ DEPT. OF ECOLOGY

(4) TYPE OF WORK: Owner's number of well (if more than one) 1
Abandoned ☐ New well ☒ Method: Dug ☐ Bored ☐ Deepened ☐ Cable ☐ Driven ☐ Reconditioned ☐ Rotary ☐ Jetted ☐

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 58 feet. Depth of completed well 58 ft.

(6) CONSTRUCTION DETAILS:

Casing installed: 6 * Diam. from 0 ft. to 48 ft.
Welded ☒ * Diam. from _____ ft. to _____ ft.
Liner installed ☐ * Diam. from _____ ft. to _____ ft.
Threaded ☐ * Diam. from _____ ft. to _____ ft.

Perforations: Yes ☐ No ☒
Type of perforator used _____
SIZE of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

Screens: Yes ☒ No ☐
Manufacturer's Name HSSC
Type S.S. Model No. 304
Diam. 6 Slot size 16 from 48 ft. to 53 ft.
Diam. 6 Slot size 12 from 54 ft. to 58 ft.

Gravel packed: Yes ☒ No ☐ Size of gravel 2-3"
Gravel placed from 58 ft. to 56 ft.

Surface seal: Yes ☒ No ☐ To what depth? 18"
Material used in seal Bentonite
Did any strata contain unusable water? Yes ☐ No ☐
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) PUMP: Manufacturer's Name Red Jacket
Type: _____ H.P. _____

(8) WATER LEVELS: Land-surface elevation above mean sea level _____
Static level 15 ft. below top of well Date 9/25/93
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes ☒ No ☐ If yes, by whom? Drillers
Yield: 17-18 gal./min. with -1 ft. drawdown after 2 hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level Time Water Level

Date of test _____
Bailer test 15" gal./min. with -1 ft. drawdown after 2 hrs.
Airstest _____ gal./min. with stem set at _____ ft. for _____ hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? Yes ☐ No ☐

FORMATION: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with a least one entry for each change of information.

MATERIAL	FROM	TO
<u>SAND</u>	<u>0</u>	<u>3</u>
<u>DIRTY SANDY Clay</u>	<u>4</u>	<u>35</u>
<u>water -> medium fine SAND</u>	<u>46</u>	<u>58</u>

Work started 9/22, 19. Completed 9/25, 1993

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME Well Done Drillers
(PERSON, FIRM, OR CORPORATION) (TYPE OR PRINT)

Address 440 N. Hill Valley

(Signed) John Davis License No. 1304
(WELL DRILLER)

Contractor's Registration No. SECTICE/881K Date 9/26, 1993

(USE ADDITIONAL SHEETS IF NECESSARY)

File Original and First Copy with
Department of Ecology
Second Copy—Owner's Copy
Third Copy—Driller's Copy

WATER WELL REPORT

STATE OF WASHINGTON

Water Right Permit No.

Start Card No.

T. W03006
T98 # AAX447

(1) OWNER: Name Bam Rd Water Assoc Address _____

(2) LOCATION OF WELL: County Island SW 1/4 SW 22 29 N. R. 25 W.M.

(2a) STREET ADDRESS OF WELL (or nearest address) 6272 S. Bam Rd, Free/AND

(3) PROPOSED USE: ☐ Domestic ☐ Industrial ☐ Municipal ☐ Other ☒
☐ Irrigation ☐ Test Well ☐
☐ DeWater

(4) TYPE OF WORK: Owner's number of well (if more than one) 1
Abandoned ☐ New well ☒ Deepened ☐ Reconditioned ☐ Method: Dug ☐ Bored ☐ Cable ☐ Driven ☐ Rotary ☐ Jetted ☐

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 58 feet Depth of completed well 58 ft.

(6) CONSTRUCTION DETAILS:
Casing installed: 6 " Diam. from 0 ft. to 48 ft.
Welded ☒ " Diam. from _____ ft. to _____ ft.
Liner installed ☒ " Diam. from _____ ft. to _____ ft.
Threaded ☐ " Diam. from _____ ft. to _____ ft.

Perforations: Yes ☐ No ☒
Type of perforator used _____
SIZE of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

Screens: Yes ☒ No ☐
Manufacturer's Name HSSC
Type S.S. Model No. 304
Diam. 6 Slot size 16 from 48 ft. to 53 ft.
Diam. 6 Slot size 12 from 34 ft. to 38 ft.

Gravel packed: Yes ☒ No ☐ Size of gravel 2-3"
Gravel placed from 58 ft. to 56 ft.

Surface seal: Yes ☒ No ☐ To what depth? 18" ft.
Material used in seal Bentonite
Did any strata contain unusable water? Yes ☐ No ☐
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) PUMP: Manufacturer's Name Red Jacket
Type: _____ H.P. _____

(8) WATER LEVELS: Land-surface elevation above mean sea level _____
Static level 15 ft. below top of well Date 9/25/93
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes ☒ No ☐ If yes, by whom? Drillers
Yield: 17-18 gal./min. with -1 ft. drawdown after 2 hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level Time Water Level

Date of test _____
Bailer test 15" gal./min. with -1 ft. drawdown after 2 hrs

Airtest _____ gal./min. with stem set at _____ ft. for _____ hrs

Artesian flow _____ g.p.m. Date _____

Temperature of water _____ Was a chemical analysis made? Yes ☐ No ☐

10. WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION
Formation: _____ by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

DEPT. OF ECOLOGY
MATERIAL FROM TO
JANU 0 3
Dirty Sand Chy 4 35
water - medium fine Sand 46 58

Work started 9/22, 19. Completed 9/25, 1993

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME Well Done Drillers (PERSON, FIRM, OR CORPORATION) (TYPE OR PRINT)

Address 440 N. Hill Valley

(Signed) John Harris License No. 1304

Contractor's Registration No. JEKCE/HBK Date 9/26, 1993

(USE ADDITIONAL SHEETS IF NECESSARY)



WASHINGTON STATE
DEPARTMENT OF
ECOLOGY

Well Tagging Form

Unique Well Tag No: APH021

RECORD VERIFICATION (check ☒ one)

- ☒ Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you)
- ☐ Verification inconclusive
- ☐ Well Report not available

RECEIVED

APR 10 2007

DEPT. OF ECOLOGY

WELL OWNERSHIP IF DIFFERENT FROM WELL REPORT

Name: Barr Community Club Inc

Street Address: _____

City: Freeland

State: WA

WELL LOCATION IF DIFFERENT FROM WELL REPORT

Well Address: 6272 S. Barr Rd/R22922-145-1470

City: Freeland

County: Island

T. 29N

R. 02E W.M.

Sec. 22

NE 1/4 of the SW 1/4

FOR AGENCY USE ONLY

Latitude: 47 59.01287

Longitude: 122 32.63595

Elevation at land surface 19 feet meters (circle one)

Additional Information, if available:

☐ Location marked on topographic map (please attach)

☐ Location marked on air photo (please attach)

- ☒ GPS
- ☐ Topographic Map
- ☐ Survey
- ☐ Computer generated

- ☐ Digital Altimeter
- ☐ Topographic Map
- ☒ Other: Computer Generated from
DEM and GPS XY Coordinates

Tag placed and well
GPS'd by:



FOR AGENCY USE ONLY

WELL CHARACTERISTICS

Physical Description of well (size of casing, type of well, housing, etc.)

Pumphouse Is Across The Street From 6272 Barr Rd. Wellhead Is Behind Pumphouse, Up Hill, Under Cinder Block Structure

Location of Well Identification Tag:

Was supplemental tag needed for easy of identifying well?

☐

Yes

☒

No

If yes, where was tag placed?

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

SECTION: 29N/02E-22

COMMENTS:

FOR ECOLOGY WATER RESOURCES PROGRAM ONLY

Water Right # _____

Date Issued: _____

Circle One: Application Permit Certificate Claim Exempt

File Original and First Copy with
Department of Ecology
Second Copy—Owner's Copy
Third Copy—Driller's Copy

WATER WELL REPORT

STATE OF WASHINGTON

Start Card No

1
ert Card No. W03006
Tgg# AX447

Water Right Permit No.

(1) OWNER: Name Bam Rd Water Assoc Address _____

(2) LOCATION OF WELL: County Ts/Amd Sec 22 Twp 29 N. R. 2E W.M.

(2a) STREET ADDRESS OF WELL (or nearest address). 6272 S. Bam Rd, Free/Amd

(3) PROPOSED USE: ☐ Domestic ☐ Industrial ☐ Municipal ☒
☐ Irrigation ☐ Test Well ☐ Other ☐
☐ DeWater

(4) TYPE OF WORK: Owner's number of well (if more than one) 1
Abandoned ☐ New well ☒ Method: Dug ☐ Bored ☐
Deepened ☐ Cable ☐ Driven ☐
Reconditioned ☐ Rotary ☐ Jetted ☐

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 58 feet. Depth of completed well 58 ft.

(6) CONSTRUCTION DETAILS:
Casing installed: 6 Diam. from 0 ft. to 48 ft.
Welded ☒ Diam. from _____ ft. to _____ ft.
Liner installed ☐ Diam. from _____ ft. to _____ ft.
Threaded ☐ Diam. from _____ ft. to _____ ft.
Perforations: Yes ☐ No ☒
Type of perforator used _____
SIZE of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
Screens: Yes ☒ No ☐
Manufacturer's Name HSSC Model No. 304
Type S.S.
Diam. 6 Slot size 1/8 from 48 ft. to 53 ft.
Diam. 6 Slot size 1/2 from 54 ft. to 58 ft.
Gravel packed: Yes ☒ No ☐ Size of gravel 2-3"
Gravel placed from 58 ft. to 56 ft.
Surface seal: Yes ☒ No ☐ To what depth? 18"
Material used in seal Bentonite
Did any strata contain unusable water? Yes ☐ No ☒
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) PUMP: Manufacturer's Name Red Jacket
Type: _____ H.P. _____

(8) WATER LEVELS: Land-surface elevation above mean sea level _____
Static level 15 ft. below top of well Date 9/25/07
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes ☒ No ☐ If yes, by whom? Drillers
Yield: 17-18 gal./min. with -1 ft. drawdown after 2 hrs.
" " " " " "
" " " " " "
Recovery data (Time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level

Date of test _____
Bailer test 15' gal./min. with -1 ft. drawdown after 2 hrs.
Airtest _____ gal./min. with stem set at _____ ft. for _____ hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? Yes ☐ No ☒

(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION
Formation: _____ by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated. Enter log entry for each change of information.
MATERIAL FROM TO
SAND 0 3
Dirty Sand; Clay 4 35
water - medium fine sand 46 58

RECEIVED
APR 10 2007
DEPT. OF ECOLOGY

RECEIVED
APR 10 2007
DEPT. OF ECOLOGY

Work started 9/22, 19. Completed 9/25, 19.

WELL CONSTRUCTOR CERTIFICATION:
I constructed and/or accept responsibility for construction of this well and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.
NAME Well Done Drillers (PERSON, FIRM, OR CORPORATION) (TYPE OR PRINT)
Address 440 N. Hill Valley
(Signed) [Signature] License No. 1304
Contractor's Registration No. SECKICE/88K Date 9/26, 1907
(USE ADDITIONAL SHEETS IF NECESSARY)

(USE ADDITIONAL SHEETS IF NECESSARY)